



# Airless Sprayer Accessories Contractors Guide

Airless Guns • High Pressure Hose • Tips & Gun Filters • Gun Extensions • Pump Accessories



## Airless Guns & Tip Guards

### Wagner AG08 Airless Gun



#### Key Features

- Entry level airless gun
- Max. pressure 3600 PSI
- Includes filter, swivel, 1/4" nozzle holder and 517 Trade Tip 2

Part No. 0296362

### Wagner AG14 Premium Airless Gun



#### Key Features

- High production stainless steel airless gun
- Max. pressure 3900 PSI
- Includes filter, swivel and nozzle holder

Part No. 0502119

### Wagner G15 Premium Airless Gun



#### Key Features

- Industrial quality stainless steel airless gun
- Max. pressure 7700 PSI
- Includes filter, swivel and nozzle holder

Part No. 0347002

### Graco Contractor II Airless Gun



#### Key Features

- Max pressure 3600 PSI
- Full Trigger Design, Easyout Gun Filter and EasyGlide Swivel
- Includes RAC X Latex SwitchTip and HandTite Guard and 517 RAC X Tip

2-Finger Trigger  
Part No. 288420

4-Finger Trigger  
Part No. 288425

### Graco Contractor FTx II Airless Gun



#### Key Features

- Max pressure 3600 PSI
- Full Trigger Design, Easyout Gun Filter and EasyGlide Swivel
- Includes RAC X Latex SwitchTip and HandTite Guard and 515 RAC X Tip

2-Finger Trigger  
Part No. 288429

4-Finger Trigger  
Part No. 288430

### Graco SG3 Airless Gun



#### Key Features

- Max pressure 3600 PSI
- Fully featured, economy gun w/ composite back cap and trigger lock
- In-handle filter hose swivel
- Includes RAC IV SwitchTip (221515), Tip Guard and Smooth Glide Swivel

Part No. 243012

### Graco Silver Plus Airless Gun



#### Key Features

- Max pressure 5000 PSI
- Durable, excellent spraying performance, and comfortable design
- RAC X Switchtip and Handtite guard provides exceptional life, pattern and finish

Part No. 246240

### Wagner Tip Guards



#### Product Options

- Hand tightened tip guard allowing fast nozzle change
- Fits easily onto Wagner spray guns, can be set horizontally or vertically for optimal adjustment of the jet level
- Short, compact, unbreakable

Part No. 0556041

### Graco Tip Guards



#### Product Options

- Hand tightened tip guard allowing fast nozzle change
- RAC X Tip Guard 7/8"  
Part No. 246215
- RAC 5 Tip Guard 7/8"  
Part No. 243161
- XHD RAC Tip Guard 7/8"  
Part No. XHD001
- Flat Tip Guard 7/8"  
Part No. 220251
- Fine Finish Flat Tip Guard 7/8"  
Part No. 220247

## Airless Hose

### Wagner Airless Hose



#### Product Options

- Wagner high pressure hose
- 7.5m x 1/4" 3300 PSI Yellow<sup>1</sup>  
Part No. 0154020
- 7.5m x 1/4" 3900 PSI<sup>2</sup>  
Part No. 2222204
- 15m x 1/4" 3300 PSI Red<sup>1</sup>  
Part No. 0154015
- 15m x 1/4" 3625 PSI Grey<sup>1</sup>  
Part No. 9984507
- 15m x 1/4" 3900 PSI<sup>2</sup>  
Part No. 2222205
- 15m x 3/8" 3300 PSI<sup>1</sup>  
Part No. 0088004

- 15m x 3/8" 6500 PSI<sup>2</sup>  
Part No. 2222207
- 30m x 1/4" 3300 PSI Yellow<sup>1</sup>  
Part No. 0154025
- 1m x 3/16" 3300 PSI Whip Hose  
Part No. 2222220
- 1m x 3/16" 4700 PSI Whip Hose  
Part No. 2222221
- 1m x 3/16" 7250 PSI Whip Hose  
Part No. 2222222
- 15m x 1/4" 6500 PSI<sup>2</sup>  
Part No. 2222238

<sup>1</sup> Rayon Braid <sup>2</sup> Wire Braid

### Graco BlueMax™ II Hose



#### Product Options

- 3300 PSI maximum working pressure rated at 82.2° C temp
- 0.9m x 3/16" Whip Hose (MxF)  
Part No. 238358
- 1.4m x 3/16" Whip Hose (MxF)  
Part No. 238359
- 1.8m x 3/16" Whip Hose (MxF)  
Part No. 238359
- 4.6m x 3/16" Hose (FBE Type)  
Part No. 214981
- 7.5m x 3/16" Hose (FBE Type)  
Part No. 214698
- 15m x 3/16" Hose (FBE Type)  
Part No. 214697

- 4.6m x 1/4" Hose (FBE Type)  
Part No. 223756
- 7.5m x 1/4" Hose (FBE Type)  
Part No. 240793
- 15m x 1/4" Hose (FBE Type)  
Part No. 240794
- 30m x 1/4" Hose (FBE Type)  
Part No. 223771
- 7.5m x 3/8" Hose (FBE Type)  
Part No. 240796
- 15m x 3/8" Hose (FBE Type)  
Part No. 240797
- 30m x 3/8" Hose (FBE Type)  
Part No. 241275



## Airless Tips & Gun Filters

### Wagner TradeTip2 Wide Finish



**Key Features**

- Wide range of uses for optimum adjustment to suit your requirements
- Various types and sizes from 0.007" to 0.067"

**Part No. 0552\*\*\***

### Wagner TradeTip2 Finefinish



**Key Features**

- FineFinish nozzles offer optimal atomisation even in the low pressure ranges and is ideal for very high grade finishes
- Soft run-out at the edges

**Part No. 0556\*\*\***

### Wagner TradeTip2 Linefinish



**Key Features**

- Specialised range of tips for high quality line marking work
- Large range of sizes with different spray jet widths
- Ideal for clean lines with sharp edges

**Part No. 056\*\*\*\***

### Wagner 2 Speed Tip



**Key Features**

- Innovative 2SpeedTip, two nozzles in one
- Change quickly between 2 nozzle sizes
- Working flexibility and optimal adjustment
- Available in TradeTip2 Standard and FineFinish options

**Part No. 027\*\*\*\***

### Graco RAC X Reversible Tips



**Key Features**

- Small sizes for finishing work, up to larger sizes for heavy duty applications, superior tip design
- Various types and sizes from 0.008" to 0.039"

**Part No. LTX\*\*\***

### Graco RAC 5 Reversible Tips



**Key Features**

- Suit domestic and commercial applications
- Large selection of tip sizes
- Various types and sizes from 0.007" to 0.065"

**Part No. 286\*\*\***

### Wagner Gun Filter Inserts



**Product Options**

- Prevent nozzle blockages
- Red 200 Mesh 'Super Fine' **Part No. 0097022**
- Yellow 100 mesh 'Fine' **Part No. 0097023**
- White 50 Mesh 'Medium' **Part No. 0097024**
- Green 30 Mesh 'Coarse' **Part No. 0097025**

### Graco Gun Filter Inserts



**Product Options**

- Prevent nozzle blockages
- Blue 100 Mesh 'Fine' **Part No. 287032**
- Black 60 Mesh 'Medium' **Part No. 287033**

## Miscellaneous Filters

### Wagner Pump Filters



**Product Options**

- High pressure filters are used to prevent downtime due to blockages
- Suit Wagner ProSpray PS21 / 22 / 23 / 24 / 25 / 26 / 27 / 30 / 31 / 34

HP Filter Cartridge 30 mesh 'Coarse' **Part No. 0508451**

HP Filter Cartridge 60 mesh 'Standard' **Part No. 0508748**

HP Filter Cartridge 100 mesh 'Fine' **Part No. 0508452**

Filter Support (PS26G & Ice Breaker) **Part No. 9894245**

### Wagner Suction Pump Filters



**Key Features**

- Limit foreign bodies from entering pump

**Suit ProSpray**

Filter - Flexible Suction **Part No. 0508738**

Filter - Rigid Suction **Part No. 5006536**

**Suit Diaphragm**

Filter - Flexible (Lrg) **Part No. 0036580**

Filter - Flexible (Sml) **Part No. 0088241**

### Graco Tip Filters



**Product Options**

- Additional filtering when using a flat tip
- Latex Tip Filter 60 Mesh **Part No. 224454**
- Enamel/Stain Tip Filter 100 Mesh **Part No. 224453**
- Tip Filter Housing **Part No. 164120**
- Tip Filter Kit (60 & 100 mesh tip filters, tip filter housing and tip guard) **Part No. 220254**

### Graco Manifold Easy Out Filters



**Key Features**

- Clean and replace filters often to ensure proper spraying pressure


**Filters Short**

- Suit Ultra 395 / 495 / 595
- Gray 30 Mesh (Vertical) **Part No. 246425**
- Black 60 Mesh (Vertical) **Part No. 246384**
- Blue 100 Mesh (Vertical) **Part No. 246382**
- Red 200 Mesh (Vertical) **Part No. 246383**

**Filters Long**

- Suit Ultra Max, GMax, GH200 and HydraMax
- Gray 30 Mesh (Vertical) **Part No. 244071**
- Black 60 Mesh (Vertical) **Part No. 244067**
- Blue 100 Mesh (Vertical) **Part No. 244068**
- Red 200 Mesh (Vertical) **Part No. 244069**

### Graco Manifold Standard Filters



**Key Features**

- Clean and replace filters often to ensure proper spraying pressure

**Filters Short**

- Filter Screen 30 Mesh (2pk) **Part No. 236495**
- Latex Filter Screen 60 Mesh (2pk) **Part No. 236496**
- Enamel Filter Screen 100 Mesh (2pk) **Part No. 224468**
- Stain Filter Screen 200 Mesh (2pk) **Part No. 224469**

Stain Filter Screen 200 Mesh (2pk) **Part No. 236498**

**Filters Long**

- Filter Screen 30 Mesh (2pk) **Part No. 224458**
- Latex Filter Screen 60 Mesh (2pk) **Part No. 224459**
- Enamel Filter Screen 100 Mesh (2pk) **Part No. 224468**
- Stain Filter Screen 200 Mesh (2pk) **Part No. 224469**

## Contractor Product Guide

## WAGNER / GRACO PRODUCTS

<sup>1</sup> Spray width at about 30 cm to the object and 100 bar (10 MPa) pressure with synthetic-resin paint 20 DIN seconds

### ▶ Tip & Filter Selection

Correct Tip and Filter selection is important!

Coating Type	Tip Size	Filter
Stains & Enamels	11 Thou	Fine (Red)
Ceiling Whites	17 Thou	Standard (White)
Semi Gloss Acrylic	15 Thou	Medium (Yellow)
Gloss Acrylic	17 Thou	Standard (White)
Blockfiller	21 Thou	Standard (White)
Non Grit Texture	23 Thou	Green (Coarse)
Membrane	26 Thou	Green (Coarse)

Most Tips are available in the following fan widths:

2 = 4 Inch	4 = 8 Inch	6 = 12 Inch
3 = 6 Inch	5 = 10 Inch	

To identify a particular Tip the numbers are read as 5 17, 4 11, 6 21 etc. So if you require a Tip for Gloss Acrylic with a 12 inch Fan, the Tip you would choose is 6 18; where 6 = 12 inch Fan and 18 = 18 Thou Orifice.

Colour coded Filters relate to these Tip sizes:

Red 11-13 Thou	Yellow 15 Thou
White 17-21 Thou	Green 23-26 Thou

## Graco Strainers

### Graco Strainers (Pump Filters)

#### Key Features

- Strainers prevent foreign objects from entering into the pump and provides the first stage of filtration

#### 7/8" (unf) Thread SST Cap

- Suit LineLazer 3400, FinishPro 390 / 395
- Part No. 246385

#### 1" (npsm) Thread SST Cap - Double Screen

- Suit LineLazer 3900/5900
- Part No. 181072

#### 1" (npsm) Thread SST Cap - Single Screen

- Suit Ultra Max II 695 / 795 / 1095 / 1595, LineLazer 200HS, Mark V
- Part No. 189920



	APPLICATION MATERIAL	TIP NUMBER	SPRAY ANGLE	BORE (inches / mm)	SPRAY WIDTH <sup>1</sup> (mm)
200 MESH GUN FILTER – SUPER FINE	Natural paints	407	40°	0.007 / 0.18	160
	Clear paints	507	50°	0.007 / 0.18	190
	Oils	209	20°	0.009 / 0.23	145
	Sealer	309	30°	0.009 / 0.23	160
	Stains	409	40°	0.009 / 0.23	190
	Varnish	509	50°	0.009 / 0.23	205
		609	60°	0.009 / 0.23	220
	Synthetic-resin paints	111	10°	0.011 / 0.28	85
	PVC paints	211	20°	0.011 / 0.28	95
	Stains	311	30°	0.011 / 0.28	125
	Enamels	411	40°	0.011 / 0.28	195
	511	50°	0.011 / 0.28	215	
	611	60°	0.011 / 0.28	265	
RED OR YELLOW FILTERS	Paints, primers	113	10°	0.013 / 0.33	100
	Zinc chromate base	213	20°	0.013 / 0.33	110
	Fillers	313	30°	0.013 / 0.33	135
	Shellac	413	40°	0.013 / 0.33	200
		513	50°	0.013 / 0.33	245
		613	60°	0.013 / 0.33	275
		813	80°	0.013 / 0.33	305
	Fillers	115	10°	0.015 / 0.38	90
	Spray plasters	215	20°	0.015 / 0.38	100
	Rust protection paints	315	30°	0.015 / 0.38	160
Semi gloss acrylic	415	40°	0.015 / 0.38	200	
Vinyl	515	50°	0.015 / 0.38	245	
YELLOW OR WHITE FILTERS		615	60°	0.015 / 0.38	265
		715	70°	0.015 / 0.38	290
		815	80°	0.015 / 0.38	325
	Spray plasters	217	20°	0.017 / 0.43	110
	Rust protection paints	317	30°	0.017 / 0.43	150
	Red lead	417	40°	0.017 / 0.43	180
	Latex paints	517	50°	0.017 / 0.43	225
	Gloss acrylic	617	60°	0.017 / 0.43	280
	Ceiling white	717	70°	0.017 / 0.43	325
	Primers	219	20°	0.019 / 0.48	145
	319	30°	0.019 / 0.48	160	
	419	40°	0.019 / 0.48	185	
	519	50°	0.019 / 0.48	260	
	619	60°	0.019 / 0.48	295	
	719	70°	0.019 / 0.48	320	
	819	80°	0.019 / 0.48	400	
50 MESH GUN FILTER – MEDIUM	Mica paints	221	20°	0.021 / 0.53	145
	Zinc dust paints	421	40°	0.021 / 0.53	190
	Dispersions	521	50°	0.021 / 0.53	245
	Block filler	621	60°	0.021 / 0.53	290
		821	80°	0.021 / 0.53	375
	Rust protection paints	223	20°	0.023 / 0.58	155
	Non-grit texture	423	40°	0.023 / 0.58	180
	Roof paints	523	50°	0.023 / 0.58	245
	Membrane	623	60°	0.023 / 0.58	275
		723	70°	0.023 / 0.58	325
	823	80°	0.023 / 0.58	345	
30 MESH GUN FILTER – COARSE	Dispersions	225	20°	0.025 / 0.64	130
	Binder, glue and filler paints	425	40°	0.025 / 0.64	190
	Membrane	525	50°	0.025 / 0.64	230
	Hi-builds	625	60°	0.025 / 0.64	250
		825	80°	0.025 / 0.64	295
	Industrial coatings	227	20°	0.027 / 0.69	160
	Hi-builds	427	40°	0.027 / 0.69	180
		527	50°	0.027 / 0.69	200
		627	60°	0.027 / 0.69	265
		827	80°	0.027 / 0.69	340
	629	60°	0.029 / 0.75	285	
	231	20°	0.031 / 0.79	155	
	431	40°	0.031 / 0.79	185	
	531	50°	0.031 / 0.79	220	
	631	60°	0.031 / 0.79	270	
	433	40°	0.033 / 0.83	220	
	235	20°	0.035 / 0.90	160	
	435	40°	0.035 / 0.90	195	
	535	50°	0.035 / 0.90	235	
	635	60°	0.035 / 0.90	295	
	839	80°	0.039 / 0.99	480	
Large-area coatings		243	20°	0.043 / 1.10	185
		543	50°	0.043 / 1.10	340
		552	50°	0.052 / 1.30	350

## Airless Gun Extensions

### Wagner Airless Gun Extension Poles



#### Ext. Poles w/ Reversible Trade Base

- Max. pressure 3600 PSI
- 6" (0.15m) Ext. Pole **Part No. 556074**
- 12" (0.3m) Ext. Pole **Part No. 556075**
- 18" (0.45m) Ext. Pole **Part No. 556075**
- 24" (0.6m) Ext. Pole **Part No. 556075**

#### Ext. Poles w/ Swivel and Trade Base

- Max. pressure 3600 PSI

- 12" (0.3m) Ext. Pole **Part No. 0555996**
- 18" (0.45m) Ext. Pole **Part No. 0555997**
- 24" (0.6m) Ext. Pole **Part No. 0555998**

#### Ext. Poles H/Duty w/ Swivel and Base

- Max. pressure 3600 PSI
- 3ft (0.9m) HD Ext. Pole **Part No. 0279974**
- 6ft (1.8m) HD Ext. Pole **Part No. 0279976**

### Wagner Airless Pole Guns



#### Key Features

- Ideal for hard to reach areas
- Max. pressure 5000 PSI
- Practical swivel joint, quick-release, large-surface gun filter and safety guard

- 1.2m Pole Gun **Part No. 0296441**
- 2.0m Pole Gun **Part No. 0296442**

\* Supplied with Tip Guard

### Wagner Extension Pole Fittings



#### Product Options

- Tip Extension Swivel 7/8" **Part No. 0556087**
- Tip Extension Coupling 1/2" F x 11/16" M Thread **Part No. 0508925**
- Tip Extension Coupling 1/2" F x 7/8" M Thread **Part No. 0508926**
- HD Extension Swivel 7/8" **Part No. 0508930**
- Extension Seal kit (fits both Tip Ext. and HD) **Part No. 0297091**

\* Product images indicative

### Graco Airless Gun Extension Poles



#### Ext. Poles 3600 PSI

- 3ft (0.9m) Ext. Pole 7/8" **Part No. 244163**
- 6ft (1.8m) Ext. Pole 7/8" **Part No. 244164**

#### Ext. Poles suit RACX Tip 4050 PSI (w/tip guard)

- Combine to reach up to 6ft
- 10" (0.25m) Ext. Pole 7/8" **Part No. 287019**
- 15" (0.38m) Ext. Pole 7/8" **Part No. 287020**
- 20" (0.5m) Ext. Pole 7/8" **Part No. 287021**
- 30" (0.75m) Ext. Pole 7/8" **Part No. 287022**

#### Ext. Poles suit RAC5 Tip 4050 PSI (w/tip guard)

- Combine to reach up to 6ft
- 10" (0.25m) Ext. Pole 7/8" **Part No. 243295**
- 15" (0.38m) Ext. Pole 7/8" **Part No. 243296**
- 20" (0.5m) Ext. Pole 7/8" **Part No. 243297**
- 30" (0.75m) Ext. Pole 7/8" **Part No. 243298**

#### Ext. Poles H/Duty 3600 PSI

- Combine to reach up to 12ft
- 10" (0.25m) Ext. Pole 7/8" **Part No. 232121**
- 20" (0.5m) Ext. Pole 7/8" **Part No. 232122**

- 40" (1.0m) Ext. Pole 7/8" **Part No. 232123**
- 60" (1.5m) Ext. Pole 7/8" **Part No. 232124**
- 80" (2.0m) Ext. Pole 7/8" **Part No. 232125**

#### Telescoping Ext. Poles suit RACX Tip 3000 PSI

- For pressure rollers only
- 18" to 36" Ext. Pole 7/8" **Part No. 218775**
- 36" to 72" Ext. Pole 7/8" **Part No. 218776**
- 72" to 144" Ext. Pole 7/8" **Part No. 218777**

### Graco Extension Pole Fittings



#### 180° Easy Turn Directional Nozzle

- Sprays at a variety of angles, suit HD Extensions
- Max 3600 PSI, 7/8"
- Part No. 235486**

#### 45° Adapter

- Connects to HD Extension for pressure rolling
- Max 3600 PSI, 7/8"
- Part No. 224399**

### Graco Airless Pole Guns



#### Key Features

- Ideal for hard to reach areas
- Better spray control and less fatigue, 3600 PSI
- CleanShot™ shut-off valve
- Can be used with extension poles for longer reach

- 3ft (0.9 m) Pole Gun **Part No. 287023**
- 6ft (1.8 m) Pole Gun **Part No. 287024**

### Graco Pole Gun Fittings



#### CleanShot Shut-Off Valve

- Unique needle valve shuts fluid off at the tip for a clean pattern – no spitting
- 180° tip swivel, 3600 PSI
- Part No. 287030**

#### Contractor In-Line Valve

- Connects to HD and tele ext. for pressure rolling
- Can rotate 180°, 3600 PSI
- Part No. 244161**

## Airless Pressure Rollers

### Wagner Airless Pressure Rollers



#### Key Features

- Up to 30% more efficient than hand paint rollers
- Paint is pumped from the drum into the roller by airless paint sprayer
- Ideal for working on scaffolding on building facades

- IR 100 Inline Roller Kit **Part No. 0345010**
- 0.6 to 1.0m Telescopic Extension Pole **Part No. 243161**

### Graco Airless Pressure Rollers



#### Key Features

- Painting with a roller has never been this easy!
- Simply pull the gun trigger when you need more paint and keep rolling

#### Standard Roller

- Max 3600 PSI
- Includes 9" EvenFlow Roller Frame, 1/2" Roller Cover, 20" Fixed Ext. and 45° angle **Part No. 244279**

#### Telescoping Roller

- Max 3000 PSI
- Includes 18" to 36" Telescoping Extension, 9" EvenFlow Roller Frame and 1/2" Roller Cover **Part No. 244281**

#### In-Line Valve Roller

- Max 3600 PSI
- Includes Contractor In-Line Valve, 20" Fixed Extension, 9" EvenFlow Roller Frame and 1/2" Roller Cover **Part No. 245397**



## Airless Accessories

### Wagner Easy Clean



#### Key Features

- Maintain pumps and prolong pump life
- Circulate through the pump after use to prevent freezing, sticking valves, corrosion and premature wear

Part No. 0508620

### Wagner Easy Glide



#### Key Features

- Designed to maintain piston pumps
- For use with piston pumps to prevent premature wear of piston and top packing

Part No. 0508619

### Wagner Pump Saver Plus



#### Key Features

- Maintain pumps and prolong pump life
- Circulate through the pump after use to prevent freezing, sticking valves, corrosion and premature wear

Part No. 058073

### Wagner TipClean



#### Key Features

- Fast contactless cleaning and clean storage

Tip Clean 200ml Bottle  
Part No. 0097108  
Tip Clean 1 L Top Up Fluid  
Part No. 0097110



### Wagner Pump Runner



#### Key Features

- Provides air-tight closure of the suction tube
- Can be put back into operation after long work breaks or a change of site

Part No. 2306987



### Wagner Large Volume Container



#### Key Features

- Mobile, solvent-resistant container for application of large quantities
- 100 litres, easy clean and low weight unit

Part No. 2309956



### Wagner Seal Kits



#### Key Features

- Suitable for water diluted and solvent-based materials
- One-piece due to click joint
- Easy change and insertion due to the integral tool in the tip handle

Part No. 0556037

### Graco Throat Seal Liquid (TSL)




#### Key Features

- Prolong pump life
- Prevents paints from drying onto the displacement rod and packings

235ml Bottle  
Part No. 206994  
950ml Bottle  
Part No. 206995

### Graco Gun Repair Kit



#### Key Features

- Repair Kits to suit Graco airless guns

Contractor Repair Kit  
Part No. 288488  
Contractor II Repair Kit  
Part No. 287031

## Sales & Enquiries • After Sales Servicing • Parts Supply • Equipment Hire

**ADDRESS** 4 Bain Street, Currajong Qld 4812  
**POSTAL** PO Box 653, Aitkenvale Qld 4814

**EMAIL** sales@airlesspc.com.au  
**WEB** www.airlesstownsville.com.au

**PHONE** (07) 4725 8880  
**FACSIMILE** (07) 4725 5977



### Servicing & Repairs

Scheduled servicing, equipment repairs, equipment testing and modifications



### Parts Supply

Comprehensive inventory including accessories, pump care, tips and hose



### Equipment Hire

Paint sprayers, pressure cleaners, vacuum cleaners and more for hire