



**AIRLESS &
PRESSURE**
CLEANER SERVICES

Spitwater Pressure Cleaners Contractors Guide

Cold & Hot Water Cleaners • Electric, Petrol & Diesel Powered Units • Commercial & Industrial



SPITWATER

Atlas Copco

WAGNER

Gerni

PEERLESS
PRODUCTS PTY LTD

GRACO

PHONE 07) 4725 8880 • FAX 07) 4725 5977 • www.airlesstownsville.com.au

Spitwater Range Overview

Airless & Pressure Cleaner Services are proud to offer Spitwater high pressure cleaners for all mater of cleaning applications. Available in both cold and hot / cold water configurations in electric, petrol and diesel models to suit domestic, commercial and industrial markets. With water flow rates up to 500 litres per minute and pressure up to 22,500 PSI there is no dirt or grime that can stand in Spitwater's way!


Spitwater Warranty

Spitwater Australia has been building high pressure cleaners at its modern production facility in Albury, southern NSW, for 25 plus years. Airless Townsville is a factory backed sales and service agent with direct access to an inventory of spare parts and qualified service technicians. Premium components are used for maximum quality and durability. Brass pumps, ceramic pistons and premium components are some of the reasons why Spitwater is your best choice.

Handyman G120 (1800 PSI)

Part No. SLD20

Designed for the handyman to tackle any job around the home!



Handyman G120

- 1800 PSI (120 Bar) at 7.5 L/min
- Heavy duty brass head
- Simple to use - one button switch
- Automatic Total Stop to save energy
- Built-in chemical injector and 1.2L tank
- Cable holder and lance holder
- 240 volt single phase 10 amp

Package Inclusions

8 m wire braided hose, single lance with adjustable nozzle, operators manual

Optional Accessories

Extension hose, brush kit rotating, sandblasting kit, drain cleaning kit



Boxjet 8/90 (1350 PSI)

Part No. ST07

Portable electric unit for domestic and light commercial pressure cleaning applications. Easy to maintain and service.



Boxjet 8/90 (1350 PSI)

- 1350 PSI (90 Bar) at 8 L/min
- Ceramic pistons & brass pump
- Variable pressure, thermal overload
- 240 V 2.2 HP electric motor, single phase

Package Inclusions

8 m wire braided HP hose, HP on/off gun, lance w/ variable angle jet spray, low pressure detergent injection, operators manual

Optional Accessories

Sandblasting kit, drain cleaning kit, Rotokit turbo lance



Handyman G120 Plus

Part No. SLD21

Designed for the handyman to tackle any job around the home!



Handyman G120 Plus

- 1800 PSI (120 Bar) at 7.5 L/min
- Simple to use - one button switch
- Heavy duty brass head, lockable hose reel
- Automatic Total Stop to save energy
- Built-in chemical injector and 2 detergent tanks to add alternating chemicals to the spray
- 240 volt single phase 10 amp

Package Inclusions

12 m wire braided hose, single lance with adjustable nozzle, operators manual, BONUS turbo lance!

Optional Accessories

Extension hose, brush kit rotating, sandblasting kit, drain cleaning kit



Quiky 10/100 (1500 PSI)

Part No. ST04

Portable electric unit for domestic and light commercial pressure cleaning applications. Easy to maintain and service.



Quiky 10/100 (1500 PSI)

- 1500 PSI (100 Bar) at 10 L/min
- Ceramic pistons & brass pump
- Variable pressure, thermal overload
- 240 V 2.2 HP electric motor, single phase

Package Inclusions

8 m wire braided HP hose, HP on/off gun, lance w/ variable angle jet spray, low pressure detergent injection, operators manual

Optional Accessories

Sandblasting kit, drain cleaning kit, Rotokit turbo lance



8-140P (2100 PSI) Petrol

Part No. SLD17

Petrol driven unit for domestic & light commercial pressure cleaning applications.



POWERED BY
HONDA

8-140P (2100 PSI) Petrol

- 2100 PSI (140 Bar) at 8 L/min
- Brass pump, thermal dump valve
- 5.5 HP Honda motor (3 yr wrnty)

Package Inclusions

8 m HP hose, insulated on/off pistol assembly, single lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance



8-100C / HP1008 Electric

Portable electric commercial unit for cleaning, washing and descaling.



Key Features

- Ceramic pistons & brass pump
- Thermal overload & dump valve
- 240 V 3 HP, single phase, 10 amp plug
- 8 m HP Hose, insulated on/off pistol assembly, single lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

8-100C Electric 240 V

- 1500 PSI (120 Bar) at 8 L/min
- 2800 RPM electric motor

Part No. SLD02/T

HP1008 Electric 240 V

- 1500 PSI (120 Bar) at 8 L/min
- 1450 RPM electric motor

Part No. SCW71

* Note: 8-100C pictured left



10-120C / 13-180C Electric

Portable electric commercial unit for cleaning, washing and descaling.



Key Features

- Ceramic pistons & brass pump
- Thermal overload & dump valve
- 240 V 3 HP, single phase, 15 amp plug
- 8 m HP Hose, insulated on/off pistol assembly, single lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

10-120C Electric 240 V

- 1800 PSI (120 Bar) at 10 L/min

Part No. SLD10

13-180C Electric 415 V

- 2700 PSI (180 Bar) at 10 L/min

Part No. SLD14

* Note: 10-120C pictured left



11-140P / 13-200P Petrol

Portable petrol powered commercial units for cleaning, washing and descaling.



Key Features

- Ceramic pistons & brass pump
- Thermal dump valve
- 8 m HP Hose, insulated on/off pistol assembly, single lance assembly w/ adj. nozzle, high and low pressure mode, adj. chemical injector, operators & parts manuals

11-140P Petrol 5.5 HP

- 2100 PSI (120 Bar) at 11 L/min

Part No. SLD04/A

13-200P Petrol 9 HP

- 3000 PSI (200 Bar) at 13 L/min

Part No. SLD15

* Note: 13-200P pictured left



HC15-250P (3650 PSI) Petrol

Part No. SLD18

Portable petrol powered commercial unit for cleaning, washing and descaling.



HC15-250P Petrol 13 HP

- 3650 PSI (250 Bar) at 15 L/min
- Ceramic pistons & brass pump
- Thermal dump valve
- 13 HP Honda GX 390 engine (3 yr wrnty)

Package Inclusions

8 m HP Hose, insulated on/off pistol assembly, single lance assembly w/ adj. nozzle, high and low pressure mode, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, lance coupling set, sludge Venturi pump



15-250P (3650 PSI) Petrol

Part No. SLD16

Portable petrol powered commercial unit for cleaning, washing and descaling.



15-250P Petrol 13 HP

- 3650 PSI (250 Bar) at 15 L/min
- 1450 RPM - gearbox reduction
- Ceramic pistons & brass pump
- 13 HP Honda GX 390 engine (3 yr wrnty)

Package Inclusions

8 m HP Hose, insulated on/off pistol assembly, single lance assembly w/ adj. nozzle, high and low pressure mode, adj. chemical injector, operators & parts manuals

Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, lance coupling set, sludge Venturi pump



10-120H / 13-180H Cold/Hot

Portable commercial units for cleaning, washing, descaling and steaming.



Key Features

- Ceramic pistons & brass pump
- Thermal overload, cooling tank, adj. thermostat, safety overload
- 8 m HP Hose, insulated on/off pistol assembly, double lance assembly w/ adj. nozzle, adj. chemical injector w/ bottle

10-120H (1800 PSI) Cold/Hot

- 1800 PSI (120 Bar) at 10 L/min
- 240 V 3 HP, single phase, 15 amp plug

Part No. SLD09

13-180H (2700 PSI) Cold/Hot

- 2700 PSI (180 Bar) at 13 L/min
- 415 V 5.5 HP, single phase, 10 amp plug

Part No. SLD08



* Note: 13-180H pictured above

HP110 (1650 PSI) Electric

Part No. SCW70

Portable electric industrial unit for cleaning, washing and descaling.



HP110 (1650 PSI) Electric

- 1650 PSI (110 Bar) at 12 L/min
- Ceramic pistons & brass pump
- Thermal overload & dump valve
- 240 V 2 HP, single phase, 15 amp plug

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, single lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, sludge Venturi pump, bypass timer shutdown



HP151 / HP161 Electric

Portable electric industrial unit for cleaning, washing and descaling.



Key Features

- Ceramic pistons & brass pump
- Thermal overload, inlet water filter
- Water break (supply) tank
- 415 V 15 HP, 32 amp plug
- 10 m HP Hose, insulated on/off pistol assembly, lance assembly w/ adj. nozzle, adj. chemical injector, manual

HP151 (2200 PSI) Electric

- 2250 PSI (150 Bar) at 14 L/min

Part No. SCW69

HP161 (2400 PSI) Electric

- 2400 PSI (160 Bar) at 18 L/min

Part No. SCW52

* Note: HP151 pictured left



HP201 (3000 PSI) Electric

Part No. SCW53

Portable electric industrial unit for cleaning, washing and descaling.



HP201 (3000 PSI) Electric

- 3000 PSI (200 Bar) at 15 L/min
- Ceramic pistons & brass pump
- Water break (supply) tank
- Inlet water filter
- Thermal overload
- 415 V 7.5 HP, 20 amp plug

Package Inclusions

10 m HP Hose, insulated on/off pistol assembly, single lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, sludge Venturi pump, bypass timer shutdown



HP201S (3000 PSI) Electric

Part No. SCW54

Portable electric industrial unit for cleaning, washing and descaling.



HP201S (3000 PSI) Electric

- 3000 PSI (200 Bar) at 21 L/min
- Ceramic pistons & brass pump
- Water break (supply) tank
- Inlet water filter
- Thermal overload
- 415 V 7.5 HP, 20 amp plug

Package Inclusions

10 m HP Hose, insulated on/off pistol assembly, single lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, sludge Venturi pump, bypass timer shutdown



HP2030 / HP3523 Electric

Portable electric industrial unit for cleaning, washing and descaling.



Key Features

- Ceramic pistons & brass pump
- Thermal overload, inlet water filter
- Water break (supply) tank
- 415 V 15 HP, 32 amp plug
- 10 m HP Hose, insulated on/off pistol assembly, lance assembly w/ adj. nozzle, adj. chemical injector, manual

HP2030 415 V 15 HP

- 3000 PSI (200 Bar) at 23 L/min

Part No. SCW85

HP3523 415 V 20 HP

- 5000 PSI (350 Bar) at 23 L/min

Part No. SCW86



HP3050 / HP4025 / HP4037

Skid mounted electric industrial unit for cleaning, washing and descaling.



Key Features

- Safety overload, water cooling tank 100% bypass
- 415 V, three phase, 63 amp
- 10 m HP hose, gun with one piece lance, fixed nozzle & protector, operators manual

HP3050 415 V 40 HP

- 4500 PSI (300 Bar) at 50 L/min

Part No. SCW11

HP4025 415 V 25 HP

- 6000 PSI (400 Bar) at 25 L/min

Part No. SCW12

HP4037 415 V 40 HP

- 6000 PSI (400 Bar) at 37 L/min

Part No. SCW14



* Note: HP2030 pictured above

* Note: HP3050 pictured above



Product Highlights

Cooling tank on all industrial range (unique to Spitwater). Protects pump seals from overheating when machine is in bypass mode (trigger closed) ensuring longer pump life and less maintenance.

SW110 Cold/Hot Electric

Part No. SHW76/A

Portable electric industrial unit for cleaning, washing, descaling and steaming.



SW110 (1650 PSI) Cold/Hot

- 1650 PSI (110 Bar) at 12 L/min
- Ceramic pistons & brass pump
- Thermal overload, cooling tank, adj. thermostat, delayed total stop
- Bypass timer shutdown
- 240 V, 3 HP electric motor, 15 amp plug

Package Inclusions

10 m HP Hose, insulated on/off pistol assembly, double lance assembly w/ adj. pressure, adj. chemical injector w/ bottle, operators manual

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump

SW151 / SW161 Cold/Hot

Portable electric industrial unit for cleaning, washing, descaling and steaming.



Key Features

- Ceramic pistons & brass pump
- Thermal overload, cooling tank, adj. thermostat, delayed total stop
- Bypass timer shutdown

SW151 (2250 PSI) Cold/Hot

- 2250 PSI (150 Bar) at 14 L/min
- 415 V, 5.5 HP electric motor, 10 amp

Part No. SHW68

SW161 (2400 PSI) Cold/Hot

- 2400 PSI (160 Bar) at 18 L/min
- 415 V, 7.5 HP electric motor, 20 amp

Part No. SHW73

* Note: SW151 pictured left

SW201 / SW2021 Cold/Hot

Portable electric industrial units for cleaning, washing, descaling and steaming.



Key Features

- Ceramic pistons & brass pump
- Thermal overload, cooling tank, adj. thermostat, delayed total stop
- Bypass timer shutdown

SW201 (3000 PSI) Cold/Hot

- 3000 PSI (200 Bar) at 21 L/min
- 415 V, 7.5 HP electric motor, 20 amp

Part No. SHW69

SW2021 (3000 PSI) Cold/Hot

- 3000 PSI (200 Bar) at 15 L/min
- 415 V, 10 HP electric motor, 20 amp

Part No. SHW78

* Note: 8-120C pictured left

12 V / 240 V Heating Cylinder

Portable heating cylinder for use with all cold water machines.



Key Features

- Hot water attachment
- Portable hot water unit with seamless coil and diesel burner
- For use with all cold water machines
- Water temperature up to 150°C
- 3650 PSI (250 Bar) at 21 L/min volume
- Diesel fired burner, thermostat control
- 240 V electric, 150 W motor 10 amp
- Can run on a generator for in-field remote use
- Available with stainless steel coil on request

Part No. SHW11 (240 Volt Electric)

Part No. SHW11/12V (12 Volt Electric)

Custom Built Solutions



Skid Mount

Turn your hot water machine into a stationary unit with the hot water skid mount.

Features a 140L long range fuel tank for 120 hours burn time and an extra large external fuel filter with water trap.

HT1111 (1650 PSI) H/Temp

Part No. SCW82

Portable electric commercial unit for cleaning, washing, descaling and steaming.



HT1111 (1650 PSI) High Temp Feed

- 1650 PSI (110 Bar) at 11 L/min
- Ceramic pistons & brass pump
- Thermal overload & dump valve,
- 80°C inlet temp, high temp seals
- Delayed total stop, bypass timer shutdown
- 240 V, 3 HP electric motor, 15 amp plug

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, double lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, detergent foam lance



Drain Mate (3650 PSI) Jetter

Complete drain cleaning solution in one package, save time and money!



Drain Mate (3650 PSI) Jetter

- 3650 PSI (250 Bar) at 21 L/min
- Interpump with solid brass head
- 2:1 belt drive reduction (less power loss than gearbox), 4 x 12" all terrain pneumatic wheels
- Heavy duty hose reel with 40m high pressure hose and slam bolt locking device
- 23 HP Honda ?? w/ elec start (3 yr wrnty)

Package Inclusions

- Mustang drain rail reel with 60m of heavy duty flexible hose
- Mustang complete drain nozzle kit
- Heavy duty gun with dual lance for high pressure water blasting

POWERED by HONDA

HT1618 (2400 PSI) H/Temp

Part No. SCW83

Portable electric commercial unit for cleaning, washing, descaling and steaming.



HT1618 (2400 PSI) High Temp Feed

- 2400 PSI (160 Bar) at 18 L/min
- Ceramic pistons & brass pump
- Thermal overload & dump valve,
- 80°C inlet temp, high temp seals
- Delayed total stop, bypass timer shutdown
- 415 V, 7.5 HP electric motor, 20 amp plug

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, double lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, detergent foam lance



Wombat (4000 PSI) Jetter

Complete drain cleaning solution in one package, Wombat eats roots and leaves!



Wombat (4000 PSI) Jetter

- 4000 PSI (275 Bar) at 25 L/min
- Interpump with solid brass head
- 2:1 belt drive reduction (less power loss than gearbox), 4 x 12" all terrain pneumatic wheels
- Heavy duty hose reel with 40m high pressure hose and slam bolt locking device
- 23 HP Honda ?? w/ elec start (3 yr wrnty)

Package Inclusions

- Mustang drain rail reel with 60m of heavy duty flexible hose
- Mustang complete drain nozzle kit
- Heavy duty gun with dual lance for high pressure water blasting

POWERED by HONDA

HT1623 (2400 PSI) H/Temp

Part No. SCW84

Portable electric commercial unit for cleaning, washing, descaling and steaming.



HT1623 (2400 PSI) High Temp Feed

- 2400 PSI (160 Bar) at 23 L/min
- Ceramic pistons & brass pump
- Thermal overload & dump valve,
- 80°C inlet temp, high temp seals
- Delayed total stop, bypass timer shutdown
- 415 V, 10 HP electric motor, 20 amp plug

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, double lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, detergent foam lance



Taipan 5000 (5000 PSI) Jetter

Complete drain cleaning solution in one package, save time and money!



Taipan 5000 (5000 PSI) Jetter

- 5000 PSI (350 Bar) at 23 L/min
- Interpump with solid brass head
- 2:1 belt drive reduction (less power loss than gearbox), 4 x 12" all terrain pneumatic wheels
- Heavy duty hose reel with 40m high pressure hose and slam bolt locking device
- 25 HP Honda ?? w/ elec start (3 yr wrnty)

Package Inclusions

- Mustang drain rail reel with 60m of heavy duty flexible hose
- Mustang complete drain nozzle kit
- Heavy duty gun with single lance for high pressure water blasting

POWERED by HONDA

HP251AE / HP201SAE Petrol

Portable petrol powered industrial units for cleaning, washing and descaling.



Key Features

- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- Water by-pass when trigger is closed
- 13 HP Honda w/ electric start (3 yr wrnty)
- 10 m HP hose, insulated on/off pistol assembly, double lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

HP251/AE (3650 PSI) Petrol

- 3650 PSI (250 Bar) at 15 L/min

Part No. SCWA60/A

HP201/SAE (3000 PSI) Petrol

- 3000 PSI (200 Bar) at 21 L/min

Part No. SCWA62

* Note: HP201/SAE pictured left

POWERED by
HONDA



► Honda GX 630

Honda V-twin engines offer higher horsepower, improved adaptability, quiet operation, and greater fuel efficiency.

Proven reliability with a high capacity pump facilitates consistent oil delivery. Easy start system and backed by a 3 year warranty.

HP152/A (2250 PSI) Petrol

Part No. SCWA50/A

Portable petrol powered industrial unit for cleaning, washing and descaling.



HP152/A (2250 PSI) Petrol

- 2250 PSI (150 Bar) at 12 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- Water by-pass when trigger is closed
- 6.5 HP Honda petrol motor (3 yr wrnty)

Package Inclusions

10 m HP hose, insulated on/off pistol, single lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, sludge Venturi pump, bypass timer shutdown

HP251/A (3650 PSI) Petrol

Part No. SCWA60

Portable petrol powered industrial unit for cleaning, washing and descaling.



HP251/A (3650 PSI) Petrol

- 3650 PSI (250 Bar) at 15 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- Water by-pass when trigger is closed
- 13 HP Honda petrol motor (3 yr wrnty)

Package Inclusions

10 m HP hose, insulated on/off pistol, double lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, brass hose swivel, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, sludge Venturi pump, bypass timer shutdown



HP2430/AE (3500 PSI) Petrol

Part No. SCWA63

Portable petrol powered industrial unit for cleaning, washing and descaling.



HP2430/AE (3500 PSI) Petrol

- 3500 PSI (235 Bar) at 30 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- Water by-pass when trigger is closed
- 23 HP Honda GX 630 w/ elec start (3 yr wrnty)

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, double lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown

Product Highlights

Positive tooth drive on all industrial petrol, diesel & self contained units allowing increased horsepower and longer machine life.

HP251/SAE (3650 PSI) Petrol

Part No. SCW61

Portable petrol powered industrial unit for cleaning, washing and descaling.



HP251/SAE (3650 PSI) Petrol

- 3650 PSI (250 Bar) at 21 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- Water by-pass when trigger is closed
- 23 HP Honda GX 630 w/ elec start (3 yr wrnty)

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, single lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown

HP2725/AE (4000 PSI) Petrol

Part No. SCWA66

Portable petrol powered industrial unit for cleaning, washing and descaling.



HP2725/AE (4000 PSI) Petrol

- 4000 PSI (275 Bar) at 25 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- Water by-pass when trigger is closed
- 23 HP Honda GX 630 w/ elec start (3 yr wrnty)

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, double lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown

HP3523/AE (5000 PSI) Petrol

Part No. SCWA64

Portable petrol powered industrial unit for cleaning, washing and descaling.



HP3523/AE (5000 PSI) Petrol

- 5000 PSI (350 Bar) at 23 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- Water by-pass when trigger is closed
- 25 HP Honda GX 660 w/ elec start (3 yr wrnty)

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, double lance assembly w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Refer to HP2725/AE
Optional
Accessories



HP12150D (2200 PSI) Diesel

Part No. SCWD061

Portable diesel powered industrial unit for cleaning, washing and descaling.

Kubota



HP12150D (2200 PSI) Diesel

- 2250 PSI (150 Bar) at 12 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- Water by-pass when trigger is closed
- 6 HP Kubota AC60 w/ pull start (2 yr warranty)

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, single lance w/ adj. nozzle, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown

Kubota



► Kubota Engines

Kubota engines are used throughout Australia in some of the harshest conditions and are renowned for their reliability and durability.

Features include a direct injection combustion system, improved fuel efficiency and s/steel valves for increased durability.

Interpump & PA Service Kits



► Servicing

Complete range of Interpump and PA service kits and replacement parts available. We appreciate that 'down time is no time', so we gladly go the extra mile to get your equipment working again.



HP15210DE (3150 PSI) Diesel

Part No. SCWD067

Portable diesel powered industrial unit for cleaning, washing and descaling.

Kubota



HP15210/DE (3150 PSI) Diesel

- 3150 PSI (210 Bar) at 15 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- Water by-pass when trigger is closed
- 9.5 HP Kubota OC95 w/ elec start (2 yr warranty)

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, double lance assembly w/ adj. pressure, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown

► Product Highlights

Corrosion resistant powder-coated steel construction.



SW2030 (3000 PSI) Cold/Hot

Part No. SHW85

Skid mounted electric industrial unit for cleaning, washing and descaling.



SW2030 (3000 PSI) Cold/Hot

- 3000 PSI (200 Bar) at 30 L/min
- Ceramic pistons & brass pump
- Thermal overload, cooling tank, adj. thermostat, delayed total stop
- 415 V, 15 HP electric motor, 32 amp plug

Package Inclusions

10 m HP Hose, insulated on/off pistol assembly, double lance assembly w/ adj. pressure, adj. chemical injector w/ bottle, operators manual

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown

SW15200PE (3000 PSI) Petrol

Part No. SHW89

Petrol powered heavy duty unit for heavy duty cleaning, washing and descaling.



SW15200PE (3000 PSI) Petrol

- 3000 PSI (200 Bar) at 15 L/min
- Thermal overload, cooling tank, adj. thermostat, delayed total stop
- 12 V burner & electrical system
- 13 HP Honda GX 630 w/ elec start (3 yr wrnty), brass pump, heating coil

Package Inclusions

10 m HP Hose, insulated on/off pistol assembly, double lance assembly w/ adj. pressure, adj. chemical injector w/ bottle, operators manual

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown

Custom Built Solutions



SW15210DE

SW15210DE 12V Workmate with 1000 L water capacity, hot or cold water. Heavy duty purpose built trailer with hydraulic brakes, road registrable.

HP21200DE

HP21200DE diesel trailer with 1000 L water tank fitted and plumbed. 30m high pressure hose, turbo nozzle and hose reel.

2000kg ATM tandem axle trailer with jockey wheel.



SW21200PE (3000 PSI) Petrol

Part No. SHW90

Petrol powered heavy duty unit for heavy duty cleaning, washing and descaling.



SW21200PE (3000 PSI) Petrol

- 3000 PSI (200 Bar) at 21 L/min
- Thermal overload, cooling tank, adj. thermostat, delayed total stop
- 12 V burner & electrical system
- 20 HP Honda GX 630 w/ elec start (3 yr wrnty), brass pump, heating coil

Package Inclusions

10 m HP Hose, insulated on/off pistol assembly, double lance assembly w/ adj. pressure, adj. chemical injector w/ bottle, operators manual

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown



Product Highlights

The Kubota powered diesel range is ideal for heavy duty cleaning of mining equipment, oil exploration equipment and much more.



HP4025DED (6000 PSI) Diesel

Part No. SCWD105

Diesel powered heavy duty unit for heavy duty cleaning, washing and descaling.



HP4025DED (6000 PSI) Diesel

- 6000 PSI (400 Bar) at 25 L/min
- Brass pump, wire braid hose
- Cooling tank, roll frame
- Water by-pass when trigger is closed
- 29 HP Deutz w/ elec start (2 yr warranty)

Package Inclusions

10 m HP hose, insulated on/off pistol assembly, single lance assembly w/ fixed jet, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown



3050DED / 4037DED / 5030DED

Diesel powered heavy duty unit for heavy duty cleaning, washing and descaling.



Key Features

- Features and package inclusions similar to HP4025DED (see left)
- This range is made to order
- 44 HP Deutz w/ elec start (2 yr warranty)

HP3050DED (4500 PSI) Diesel

- 4500 PSI (300 Bar) at 50 L/min (w/ Interpump)

Part No. SCWD095

HP4037DED (6000 PSI) Diesel

- 6000 PSI (400 Bar) at 37 L/min (w/ Pratissoli)

Part No. SCWD99/D

HP5030DED (7500 PSI) Diesel

- 7500 PSI (500 Bar) at 30 L/min (w/ Pratissoli)

Part No. SCWD99/E



30250DE / 21250DE / 25275DE

Portable diesel powered industrial unit for cleaning, washing and descaling.



Key Features

- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- 23.5 HP Kubota D902EC w/ elec start

HP30250DE (3650 PSI) Diesel

- 3650 PSI (250 Bar) at 30 L/min

Part No. SCWD082

HP21250DE (3650 PSI) Diesel

- 3650 PSI (250 Bar) at 21 L/min

- Made to order

Part No. SCWD99/B

HP25275DE (4000 PSI) Diesel

- 4000 PSI (275 Bar) at 25 L/min

- Made to order

Part No. SCWD083



HP23350DE (5000 PSI) Diesel

Part No. SDWD084

Portable diesel powered industrial unit for cleaning, washing and descaling.



HP23350DE (5000 PSI) Diesel

- 5000 PSI (200 Bar) at 23 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- Water by-pass when trigger is closed
- 23.5 HP Kubota D902EC w/ elec start

Package Inclusions

10 m HP Hose, insulated on/off pistol assembly, double lance assembly w/ adj. pressure, adj. chemical injector w/ bottle, operators manual

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown



SW15200DE (3000 PSI) Cold/Hot

Part No. SHW87

Portable diesel powered industrial unit for cleaning, washing and descaling.



SW15200DE (3000 PSI) Cold/Hot Diesel

- 3000 PSI (200 Bar) at 15 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- 12 Volt burner & electrical system
- Water by-pass when trigger is closed
- 9.5 HP Kubota OC95 w/ elec start (2 yrs)

Package Inclusions

10 m HP hose, gun & dual lance, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown



SW21200DE (3000 PSI) Cold/Hot

Part No. SHW88

Portable diesel powered industrial unit for cleaning, washing and descaling.



HP21200DE (3000 PSI) Cold/Hot Diesel

- 3000 PSI (200 Bar) at 21 L/min
- Ceramic pistons & brass pump
- Cooling tank, Oz-tuff belt drive
- 12 Volt burner & electrical system
- Water by-pass when trigger is closed
- 23.5 HP Kubota D902EC w/ elec start (2 yrs)

Package Inclusions

10 m HP hose, gun & dual lance, adj. chemical injector, operators & parts manuals

Optional Accessories

Hose reel, 10/20 m HP hose, Rotomax turbo lance, sandblasting lance, brush rotating w/ lance, detergent foam lance, 7 m telescopic lance, sludge Venturi pump, bypass timer shutdown



Servicing & Accessories

Drain Cleaning Accessories



Overview

- Root cutting and penetrating nozzles
- Mustang nozzle box kit
- Mustang remote mini hose reel
- Manual hose reels
- Armadillo Bluflex hose
- Swaging of hoses

Pressure Cleaning Accessories



Overview

- Guns and lances
- Telescopic lances
- Foamers & brush heads
- Turbo, multi regulation, blasting & fan nozzles
- Acid & sandblast heads
- Rotary cleaners
- Hose reels
- High pressure hose

Scheduled Servicing & Repairs



Overview

We appreciate that 'down time is no time', so we gladly go the extra mile to get your equipment working again.

- Scheduled servicing
- Equipment repairs
- Equipment testing
- Modifications



Sales & Enquiries • After Sales Servicing • Parts Supply • Equipment Hire

ADDRESS 4 Bain Street, Currajong Qld 4812
POSTAL PO Box 653, Aitkenvale Qld 4814

EMAIL sales@airlesstownsville.com.au
WEB www.airlesstownsville.com.au

PHONE (07) 4725 8880
FACSIMILE (07) 4725 5977



Servicing & Repairs

Scheduled servicing, equipment repairs, equipment testing and modifications



Parts Supply

Comprehensive inventory including accessories, pump care, tips and hose



Equipment Hire

Paint sprayers, pressure cleaners, vacuum cleaners and more for hire